

Natural Peeling Cream

Based on walnut exfoliants and natural ingredients, this peeling cream fits perfectly the green ideology. Fully natural Creascrub® Walnut is an option for natural cosmetics and provides an abbrasive effect for facial scrubs. Biomethics® Emulsifier is based on natural ingredients and has good skin compatibility. It does not disrupt skin's own barrier as traditional emulsifiers do. Creanatural® Vegetable Squalane together with non-oxydazing Meadowfoam Seed Oil bring softness and skin care benefits to the formulation.

Ingredients	INCI Name	Qty%	Supplier	
Phase A				
Biomethics® Emulsifier Solanum O/W	Water	q.s.	1)	
	Solanum Tuberosum (Potato) Starch (and) Water (and)	4,00		
	Helianthus Annuus (Sunflower) Seed Oil (and)			
	Sucrose Stearate (and) Xanthan Gum (and)			
	Hydrogenated Lecithin (and) Phenoxyethanol			
	Xanthan Gum	0,20		
	Glycerin	3,00		
	Methylisothiazolinone (and) Chlorphenesin	0,50		
	Disodium EDTA	0,50		
Butylene Glycol	5,00			
Phase B				
Creanatural® Vegetable Squalane	Squalane	2,00	1)	
	Meadowfoam Seed Oil®	Limnanthes Alba (Meadowfoam) Seed Oil		2,00
		Butyrospermum Parkii		3,00
		Behenyl Alcohol		1,00
		BHT		0,05
		Olea Europaea (Olive) Oil		8,00
Tocopherol Acetate	0,10			
Phase C				
Creascrub® Walnut	Juglans Regia (Walnut) Shell Powder	10,00	1)	

Procedure:

- Heat up water and Xanthan Gum to temperature of 70° C - 75° C and leave under agitation and heated for swelling.
Add the rest of the ingredients in phase A and keep heated while stirring at the speed of 500 - 600 rpm until homogenous.
- Heat up phase B to temperature of 70° C - 75° C and stir at the speed of 500 - 600 rpm until homogenous.
- Add phase B into phase A, keep heated and under strong agitation 1000 - 1200 rpm for 15 minutes.
- Homogenize (6000rpm) the mixture (A+B) for 5 minutes.
- Cool down to temperature below 40° C and add phase C under slow agitation until homogenous.
- Adjust pH value to 4,60.

NOTE: Please note that sufficient preservative system needs to be used, we do not guarantee microbiological stability.

Suppliers:

- 1) CIT SARL/COSMO CHEM SARL

Note: Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the consumer. The company, however, cannot assume any liability or risk involved in the use of its formulations or chemical products, since the conditions of the use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use products in the infringement of any patent. The information is for industrial and research use only. These formulations are not tested. We make no warranty of any kind, expressed or implied.

