

Eye & Lip Contour Cream

Deep moisturizing cream, which softens and smoothenes fine lines on thin and sensitive eye and lip areas. Leaves the skin well balanced with matte finish. Hydrasoft® products are humectants, which work as light film formers with a fresh after feel on the skin. Biomethics® Emulsifier based on natural ingredient, has excellent skin compatibility and does not disrupt skin's own barrier as traditional emulsifiers do. Creabase® gives stability and soft texture. Alphaflow® is a hypoallergenic emollient which softens even the most delicate skin areas. Creanatural® Vegetable Squalane adds skin care benefits together with Creanatural® BioCollagen which mimics skin's collagen in moisture retention properties. Non-oxydizing Meadowfoam Seed Oil bring stability in skin care benefits. Siltext® Mat enhances the sensorial perceptions with a matt finish. Fiflow® is gas carrier with instant anti-wrinkle results. Fiflow® brings oxygen to the skin and as longterm benefits improves skin's metabolism.

Ingredients	INCI Name	Qty%	Supplier
Phase A	Water	q.s.	
	Glycerin	2,00	
Hydrasoft® Sea	Water (and) Algae Extract (and) Natto Gum (and) Phenoxyethanol (and) Chlorphenesin (and) Citric Acid	5,00	1)
Hydrasoft® Cushion	Glyceryl Polymethacrylate (and) Butylene Glycol (and) Zea Mays (Corn) Starch (and) Chlorphenesin	10,00	1)
	Disodium EDTA	0,05	
	Chlorphenesin	0,20	
	Hexamidine Diisethionate	0,05	
	Xanthan Gum	0,20	
	Caffeine	0,50	
Biomethics® Emulsifier LHS	Sucrose Stearate (and) Hydrogenated Lecithin (and) Helianthus Annuus (Sunflower) Wax (and) Helianthus Annuus (Sunflower) Seed Oil (and) Xanthan Gum (and) Tocopherol (and) Phenoxyethanol	4,00	1)
Phase B			
	Behenyl Alcohol	1,00	
Creabase® NTL 80	Hydrogenated Polydecene (and) Polyethylene (and) Isohexadecane	2,50	1)
Creabase® 60	Synthetic Wax	0,60	1)
Alphaflow® 50	Hydrogenated Polydecene	0,60	1)
	Butyrospermum Parkii	1,30	
Creanatural® Vegetable Squalane	Squalane	4,00	1)
	Phytantriol	0,50	
Meadowfoam Seed Oil®	Limnanthes Alba (Meadowfoam) Seed Oil	1,00	1)
Phase C			
Siltext® Mat	Hydrogenated Polyisobutene (and) Dimethicone Crosspolymer	3,00	1)
Phase D			
Creanatural® BioCollagen	Water (and) Glycerine (and) Butylene Glycol (and) Zea Mays (Corn) Starch (and) Natto Gum (and) Citric Acid (and) Chlorphenesin Hyaluronic Acid	10,00	1)
Phase E			
Fiflow® 135	Perfluorodecalin (and) Perfluorononane (and) Perfluorohexane (and) Perfluoroperhydrophenanthrene (and) Perfluorodimethylcyclohexane	10,00	1)

Procedure:

- Heat up phase A to temperature of 70° C - 75° C under agitation of 1000-1200rpm for 15 minutes until even milk is created.
- Heat up phase B to temperature of 70° C - 75° C and stir at the speed of 1000-800rpm until homogenous.
- Add phase B into phase A and homogenize (6000rpm) for 5 minutes.
- Let the mixture (A+B) cool down under agitation (500-600rpm) to temperature below 35° C.
- Add phases C and D, and homogenize (6000rpm) for 2-3 minutes.
- Add phase E and homogenize (2000rpm) for 1-2 minutes. Adjust pH value to 6,70 – 7,00.

NOTE: Please note that sufficient preservative system needs to be used, we do not guarantee microbiological stability.

Suppliers: 1) CIT SARL/COSMO CHEM SARL

Note: Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the consumer. The company, however, cannot assume any liability or risk involved in the use of its formulations or chemical products, since the conditions of the use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use products in the infringement of any patent. The information is for industrial and research use only. These formulations are not tested. We make no warranty of any kind, expressed or implied.

