

Creagel® EZ VS

Chemical Composition:

| Component | Legislation |
|---|--|
| Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer | |
| Squalane | CAS No. 111-01-03 EINECS No. 203-825-6 JSCI (106906) |

INCI Name: Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (and) Squalane

Technical Information:

| | |
|---|----------------------|
| Appearance | Off-white opaque gel |
| Odour | Characteristic |
| Viscosity (20°C) (Lamy Tve-05 – Spindle: MS-BV 1000 – Speed: 200 rpm) | 10,0 – 20,0 Pa.s |
| pH (20°C - 10% in Water) | 5,0 – 6,5 |
| Refractive Index (20°C) | 1,440 – 1,460 |
| Solubility | Dispersible in water |
| Shelf Life | Minimum 3 years |

Description: Creagel® EZ is a range of auto-emulsifiers, which can be used to produce light emulsions and gel emulsions even in cold processes. Creagel® EZs are based on polymers and they can be used to thicken emulsions in a wide pH range. Creagel® EZ VS is based on Vegetable Squalane and it therefore gives the emulsion a silky and non-greasy feel. Creagel® EZ VS is Ethoxylate free.
Typical use level: 2-10%

Before using this material see the MSDS.
This technical information is offered as a guide not a guarantee.

