

## Bubbling Champagne Mask

Bubbling Champagne Mask with Fiflow BB® is an intensive anti-age serum, which delivers oxygen to the skin and functions as an instant wrinkle filler. Can be used daily or as a special treatment when skin needs extra moisture and rejuvenation. Fiflow BB® is a functional product, which provides a visual bubbling effect in the formulation. Fiflow® is also the active ingredient, which delivers oxygen to the skin and functions as a wrinkle filler and dielectric muscle relaxant. Siltext® Iridescent brings elegant feel to the product. Hydrasoft® products are used as viscosity and texture modifiers. They are ideal bases for serums as they are humectants and form a fresh film preventing moisture loss.

Ingredients	INCI Name	Qty%	Supplier
<b>Phase A</b>			
<b>Siltext® Iridescent</b>	Glyceryl Polyacrylate (and) Dimethicone (and) Hydrogenated Polyisobutene (and) Phenoxyethanol (and) Chlorphenesin	10,00	1)
<b>Hydrasoft® Sea</b>	Water (and) Algae Extract (and) Natto Gum (and) Phenoxyethanol (and) Chlorphenesin (and) Citric Acid	30,00	1)
<b>Hydrasoft® Cushion</b>	Glyceryl Polymethacrylate (and) Butylene Glycol (and) Zea Mays (Corn) Starch (and) Chlorphenesin	4,00	1)
<b>Hydrasoft® Moist</b>	Glyceryl Polymethacrylate (and) Propylene Glycol (and) Chlorphenesin	15,00	1)
<b>Phase B</b>			
	Water	q.s.	
	Hyaluronic Acid	0,02	
	Chlorphenesin	0,20	
	Disodium EDTA	0,05	
	Glyceryl Laurate	1,21	
	TEA-Lauryl Sulfate	1,83	
	Decyl Glucoside	1,46	
	Disodium Laureth Sulfosuccinate	0,50	
<b>Phase C</b>			
	Champagne	5,00	
<b>Phase D</b>			
<b>Fiflow® BB</b>	Perfluorohexane (and) Perfluoro Dimethylethylpentane (and) Perfluoroperhydrophenanthrene (and) Perfluorodecalin	10,00	1)
<b>FD &amp; C Yellow 5 (0,15% in H<sub>2</sub>O)</b>	Water (and) CI 19140	1,00	1)
<b>FD &amp; C Red 4 (0,15% in H<sub>2</sub>O)</b>	Water (and) CI 14700	0,02	1)

### Procedure:

1. Mix ingredients in phase A. No heating necessary.
2. Mix ingredients in phase B. No heating necessary.
3. Add phase B into phase A and homogenize.
4. Add phase C and D into the mixture (A+B) and homogenize for maximum 1 minute.  
Before adding phases, make sure the temperature of the mixture is not above 40° C.
5. Keep stirring the mixture until homogeneous.

**NOTE: Please note that sufficient preservative system needs to be used, we do not guarantee microbiological stability.**

### Suppliers:

- 1) CIT SARL/COSMO CHEM SARL

Note: Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the consumer. The company, however, cannot assume any liability or risk involved in the use of its formulations or chemical products, since the conditions of the use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use products in the infringement of any patent. The information is for industrial and research use only. These formulations are not tested. We make no warranty of any kind, expressed or implied.

